



Measured + Indicated Category										Inferred Category									
Cut-off grade	Mt	Grade				Contained Metal				Cut-off grade	Mt	Grade				Contained Metal			
		CuEq (%)	Cu (%)	Au (g/t)	Ag (g/t)	CuEq (Mt)	Cu (Mt)	Au (Moz)	Ag (Moz)			CuEq (%)	Cu (%)	Au (g/t)	Ag (g/t)	CuEq (Mt)	Cu (Mt)	Au (Moz)	Ag (Moz)
0.20	2,770	0.51	0.36	0.25	1.06	14.2	10.0	21.9	94.0	0.20	593	0.30	0.24	0.11	0.60	1.8	1.4	2.1	11.4
0.21	2,663	0.53	0.37	0.25	1.08	14.0	9.9	21.7	92.2	0.21	544	0.31	0.24	0.11	0.61	1.7	1.3	1.9	10.6
0.25	2,159	0.60	0.42	0.29	1.19	13.0	9.1	20.4	82.8	0.25	384	0.36	0.28	0.12	0.63	1.4	1.1	1.5	7.8
0.30	1,763	0.68	0.47	0.34	1.30	11.9	8.3	19.1	73.9	0.30	267	0.39	0.31	0.13	0.66	1.0	0.8	1.1	5.7
0.35	1,390	0.77	0.53	0.40	1.45	10.7	7.3	17.8	64.8	0.35	157	0.44	0.35	0.15	0.71	0.7	0.6	0.7	3.6
0.40	1,079	0.89	0.59	0.47	1.62	9.6	6.4	16.4	56.2	0.40	84	0.50	0.40	0.17	0.77	0.4	0.3	0.5	2.1
0.45	850	1.01	0.66	0.56	1.81	8.6	5.7	15.4	49.5	0.45	44	0.57	0.44	0.21	0.87	0.3	0.2	0.3	1.2
0.50	707	1.12	0.72	0.64	1.98	7.9	5.1	14.6	44.9	0.50	23	0.66	0.50	0.26	1.04	0.2	0.1	0.2	0.8
0.55	635	1.19	0.76	0.70	2.08	7.5	4.8	14.2	42.4	0.55	14	0.76	0.56	0.32	1.16	0.1	0.1	0.1	0.5
0.60	610	1.21	0.77	0.72	2.11	7.4	4.7	14.1	41.4	0.60	11	0.80	0.58	0.35	1.22	0.1	0.1	0.1	0.5
0.65	591	1.23	0.78	0.73	2.14	7.3	4.6	13.9	40.6	0.65	10	0.83	0.60	0.36	1.27	0.1	0.1	0.1	0.4
0.70	557	1.26	0.80	0.76	2.18	7.0	4.5	13.6	39.0	0.70	8	0.86	0.63	0.36	1.32	0.1	0.1	0.1	0.3
0.75	505	1.32	0.83	0.80	2.25	6.7	4.2	13.0	36.5	0.75	7	0.89	0.66	0.38	1.36	0.1	0.0	0.1	0.3
0.80	442	1.40	0.87	0.86	2.34	6.2	3.8	12.3	33.3	0.80	5	0.92	0.68	0.40	1.44	0.0	0.0	0.1	0.2
0.85	380	1.49	0.91	0.94	2.44	5.7	3.5	11.5	29.8	0.85	4	0.96	0.70	0.42	1.58	0.0	0.0	0.0	0.2
0.90	330	1.58	0.96	1.02	2.53	5.2	3.2	10.9	26.8	0.90	2	1.00	0.72	0.45	1.77	0.0	0.0	0.0	0.1
0.95	290	1.68	1.00	1.10	2.61	4.9	2.9	10.3	24.3	0.95	2	1.01	0.72	0.47	1.83	0.0	0.0	0.0	0.1
1.00	258	1.76	1.04	1.18	2.67	4.5	2.7	9.8	22.2	1.00	0	1.19	0.81	0.62	1.79	0.0	0.0	0.0	0.0
Measured Category										Indicated Category									
Cut-off grade	Mt	Grade				Contained Metal				Cut-off grade	Mt	Grade				Contained Metal			
		CuEq (%)	Cu (%)	Au (g/t)	Ag (g/t)	CuEq (Mt)	Cu (Mt)	Au (Moz)	Ag (Moz)			CuEq (%)	Cu (%)	Au (g/t)	Ag (g/t)	CuEq (Mt)	Cu (Mt)	Au (Moz)	Ag (Moz)
0.20	1,218	0.71	0.47	0.39	1.35	8.6	5.7	15.1	52.8	0.20	1,551	0.36	0.28	0.14	0.83	5.6	4.3	6.8	41.2
0.21	1,192	0.72	0.48	0.39	1.37	8.6	5.7	15.0	52.4	0.21	1,470	0.37	0.28	0.14	0.84	5.5	4.2	6.6	39.8
0.25	1,054	0.79	0.52	0.43	1.47	8.3	5.5	14.7	49.9	0.25	1,105	0.43	0.33	0.16	0.93	4.7	3.6	5.7	32.9
0.30	937	0.85	0.56	0.47	1.57	8.0	5.2	14.3	47.4	0.30	826	0.48	0.37	0.18	1.00	4.0	3.0	4.8	26.6
0.35	814	0.93	0.61	0.53	1.69	7.6	4.9	13.8	44.3	0.35	576	0.55	0.42	0.21	1.10	3.1	2.4	3.9	20.5
0.40	692	1.03	0.66	0.60	1.83	7.1	4.6	13.3	40.7	0.40	387	0.63	0.48	0.25	1.25	2.4	1.8	3.1	15.5
0.45	587	1.14	0.72	0.68	1.98	6.7	4.2	12.8	37.3	0.45	264	0.73	0.54	0.31	1.43	1.9	1.4	2.6	12.1
0.50	516	1.23	0.77	0.75	2.10	6.3	4.0	12.4	34.9	0.50	191	0.83	0.60	0.37	1.63	1.6	1.1	2.2	10.0
0.55	478	1.28	0.80	0.79	2.18	6.1	3.8	12.2	33.5	0.55	157	0.89	0.64	0.41	1.75	1.4	1.0	2.1	8.8
0.60	463	1.31	0.81	0.81	2.21	6.0	3.7	12.1	32.9	0.60	147	0.91	0.65	0.42	1.79	1.3	1.0	2.0	8.5
0.65	453	1.32	0.82	0.82	2.23	6.0	3.7	12.0	32.4	0.65	139	0.93	0.66	0.43	1.83	1.3	0.9	1.9	8.2
0.70	434	1.35	0.83	0.84	2.25	5.9	3.6	11.8	31.5	0.70	123	0.96	0.69	0.45	1.91	1.2	0.8	1.8	7.5
0.75	401	1.40	0.86	0.88	2.31	5.6	3.4	11.4	29.7	0.75	104	1.01	0.71	0.48	2.02	1.0	0.7	1.6	6.8
0.80	359	1.47	0.90	0.94	2.38	5.3	3.2	10.9	27.4	0.80	84	1.06	0.74	0.52	2.18	0.9	0.6	1.4	5.9
0.85	318	1.56	0.94	1.01	2.45	5.0	3.0	10.4	25.1	0.85	62	1.15	0.78	0.59	2.39	0.7	0.5	1.2	4.8
0.90	283	1.64	0.98	1.08	2.52	4.6	2.8	9.9	23.0	0.90	46	1.24	0.83	0.66	2.60	0.6	0.4	1.0	3.9
0.95	253	1.73	1.02	1.16	2.59	4.4	2.6	9.4	21.0	0.95	37	1.32	0.87	0.72	2.75	0.5	0.3	0.9	3.3
1.00	230	1.80	1.05	1.23	2.65	4.1	2.4	9.1	19.6	1.00	29	1.42	0.92	0.81	2.88	0.4	0.3	0.7	2.6


Appendix 1.1: Alpala Deposit at various cut-off grades – March 2020.



Appendix 1.2: Alpala Deposit grade and tonnage curves – March 2020.



Appendix 2.1: Example Long-section through the centre (Alpa Central) of the Deposit, looking West, and along the trend of the Alpa Intrusive Complex, showing the vertically extensive geometry and episodic emplacement of intrusions (A), and high, medium and low abundance veining zones (B).



Appendix 2.2: Example Long-section through the centre (Alpa Central) of the Deposit, looking West, and along the trend of the Alpa Intrusive Complex, showing high, medium and low-grade zones (A), and MRE#3 block model blocks above the 0.21% CuEq cut-off grade, classification shells, and the Mineral Resource Outline (MRO) limit used for the estimate (B).